

9 10 11 Jill-Dr 75 Jill-Dr 250 23 ©2018 AgriData. Inc.

State: Indiana
County: Gibson
Location: 15-2S-11W
Township: Patoka
Acres: 145.55
Date: 7/2/2018









Code	Symbol: IN051, Soil Area Version: 18 Soil Description	Acres	Percent	Non-Irr	Non-Irr	Corn	Soybeans	Winter	Grain	Grass	Grass	Pasture
			of field	Class Legend	Class *c			wheat	sorghum	legume hay	legume pasture	
Ly	Lyles fine sandy loam	23.14	15.9%		llw	150	33	60		5		10
UnB2	Uniontown silt loam, 2 to 6 percent slopes, eroded	17.30	11.9%		lle	141	49	69		5		9
Bd	Birds silt loam, frequently flooded	16.75	11.5%		IIIw	140	40					
Ма	Maplehill silt loam, frequently flooded	16.56	11.4%		llw	140	42	33		5		9
SyB2	Sylvan silt loam, 2 to 6 percent slopes, eroded	16.36	11.2%		lle	155	54	78		5		10
SyC3	Sylvan silt loam, 6 to 12 percent slopes, severely eroded	15.24	10.5%		IVe	140	49	70		5		9
AnC3	Alvin fine sandy loam, 6 to 12 percent slopes, severely eroded	8.76	6.0%		IVe	100	35	50		3		7
UnC3	Uniontown silt loam, 6 to 12 percent slopes, severely eroded	8.74	6.0%		IVe	125	44	63		4		8
AnB	Alvin fine sandy loam, 2 to 6 percent slopes	8.36	5.7%		lle	115	40	58		4		8
AnD3	Alvin fine sandy loam, 12 to 18 percent slopes, severely eroded	5.38	3.7%		Vle	85	30	43		3		6
AIB2	Alford silt loam, 2 to 5 percent slopes, eroded	3.20	2.2%		lle	139	43	55	101	4	7	
Wa	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded	1.82	1.3%		IIIw	119	39	47		4	6	
BIB	Bloomfield sand, 2 to 6 percent slopes	1.12	0.8%		Ills	95	33	43		3		6
AIC3	Alford silt loam, 5 to 10 percent slopes, severely eroded	1.07	0.7%		IVe	116	36	46	85	4	6	
UmD3	Udorthents-Sylvan complex, 12 to 18 percent slopes, severely eroded	0.72	0.5%		Vle	111	39	56		3		7
AnD2	Alvin fine sandy loam, 12 to 18 percent slopes, eroded	0.39	0.3%		IVe	90	32	45		3		6
Wk	Wilbur silt loam, frequently flooded	0.29	0.2%		llw	125	44					



Weighted Average							42.1	52.2	2.8	4	0.3	7.4
SyD	Sylvan silt loam, 12 to 18 percent slopes	0.07	0.0%		IVe	135	47	68		5		9
SyF	Sylvan silt loam, 18 to 50 percent slopes	0.28	0.2%		VIIe							

\*c: Using Capabilities Class Dominant Condition Aggregation Method





State: Indiana County: Gibson Location: 13-2S-13W Township: Montgomery

Acres: 29.97 7/2/2018 Date:









Area	Area Symbol: IN051, Soil Area Version: 18												
Cod e	Soil Description		Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat			
ScA	Skelton silt loam, 0 to 2 percent slopes, frequently flooded	23.61	78.8%		llw	115			40				
Cr	Crawleyville loam	6.05	20.2%		llw	149	5	10	49	68			
SbA	Skelton loam, 0 to 2 percent slopes	0.31	1.0%		I	140	5	9	49	70			
	_	122.1	1.1	2.1	41.9	14.5							

\*c: Using Capabilities Class Dominant Condition Aggregation Method





State: Indiana County: Gibson Location: 7-2S-11W Township: Patoka Acres: 18.48 7/2/2018 Date:









Soils data provided by USDA and NRCS.

Area	Area Symbol: IN051, Soil Area Version: 18													
Cod e	Soil Description		Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Winter wheat	Cor n	Grass legume hay	Pasture	Soybeans				
Lz	Lyles sandy loam, loamy substratum	12.27	66.4%		llw	60	150	5	10	33				
Ау	Ayrshire fine sandy loam	4.12	22.3%		llw	46	124	4	8	37				
BIB	Bloomfield sand, 2 to 6 percent slopes	2.09	11.3%		IIIs	43	95	3	6	33				
		55	138	4.6	9.1	33.9								

\*c: Using Capabilities Class Dominant Condition Aggregation Method





State: Indiana
County: Gibson
Location: 15-2S-11W
Township: Patoka
Acres: 37.34
Date: 7/2/2018









Soils data provided by USDA and NRCS.

Area	Symbol: IN051, Soil Area Version: 18										
	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Cor n	Grass legume hay	Pasture	Soybeans	Winter wheat	Grass legume pasture
BIC	Bloomfield sand, 6 to 12 percent slopes	16.11	43.1%		Ille	85	3	6	30	38	
BIB	Bloomfield sand, 2 to 6 percent slopes	10.38	27.8%		Ills	95	3	6	33	43	
Ау	Ayrshire fine sandy loam	4.24	11.4%		llw	124	4	8	37	46	
AnC2	Alvin fine sandy loam, 6 to 12 percent slopes, eroded	2.78	7.4%		IIIe	105	4	7	37	53	
Wa	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded	2.22	5.9%		IIIw	119	4		39	47	6
AnD2	Alvin fine sandy loam, 12 to 18 percent slopes, eroded	1.24	3.3%		IVe	90	3	6	32	45	
BID	Bloomfield sand, 12 to 18 percent slopes	0.37	1.0%		IVe	70	2	5	25	32	
		95.7	3.2	5.9	32.7	42.1	0.4				

\*c: Using Capabilities Class Dominant Condition Aggregation Method





State: Indiana
County: Gibson
Location: 29-2S-11W
Township: Montgomery

Acres: 116.34
Date: 7/2/2018



Weighted Average 109.1



3.6

7.4


36.5


50.1



A	Complete INIOFA Codi Anna Varraino 40									
	Symbol: IN051, Soil Area Version: 18 Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn	Grass legume hay	Pasture	Soybeans	Winter wheat
AnB	Alvin fine sandy loam, 2 to 6 percent slopes	37.71	32.4%		lle	115	4	8	40	58
AnC3	Alvin fine sandy loam, 6 to 12 percent slopes, severely eroded	29.76	25.6%		IVe	100	3	7	35	50
Ау	Ayrshire fine sandy loam	24.87	21.4%		llw	124	4	8	37	46
BIB	Bloomfield sand, 2 to 6 percent slopes	12.61	10.8%		Ills	95	3	6	33	43
BIC	Bloomfield sand, 6 to 12 percent slopes	6.48	5.6%		Ille	85	3	6	30	38
AnD3	Alvin fine sandy loam, 12 to 18 percent slopes, severely eroded	1.66	1.4%		Vle	85	3	6	30	43
Ju	Junius variant loamy sand	1.26	1.1%		llw	135	5	9	32	54
AnD2	Alvin fine sandy loam, 12 to 18 percent slopes, eroded	0.96	0.8%		IVe	90	3	6	32	45
Ма	Maplehill silt loam, frequently flooded	0.74	0.6%		llw	140	5	9	42	33
Ra	Ragsdale silt loam	0.19	0.2%		llw	190	6	13	54	76
BID	Bloomfield sand, 12 to 18 percent slopes	0.10	0.1%		IVe	70	2	5	25	32

<sup>\*</sup>c: Using Capabilities Class Dominant Condition Aggregation Method





State: Indiana County: Gibson Location: 29-2S-11W Township: Montgomery

Acres: 98.51 7/2/2018 Date:







Area	Area Symbol: IN051, Soil Area Version: 18													
	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn	Soybeans	Winter wheat	Grain sorghum	Grass legume hay	Grass legume pasture	Pasture		
AnB	Alvin fine sandy loam, 2 to 6 percent slopes	39.58	40.2%		lle	115	40	58		4		8		
AnC3	Alvin fine sandy loam, 6 to 12 percent slopes, severely eroded	37.71	38.3%		IVe	100	35	50		3		7		
BIC	Bloomfield sand, 6 to 12 percent slopes	9.09	9.2%		IIIe	85	30	38		3		6		
BIB	Bloomfield sand, 2 to 6 percent slopes	7.21	7.3%		IIIs	95	33	43		3		6		
Ау	Ayrshire fine sandy loam	4.86	4.9%		llw	124	37	46		4		8		
Ма	Maplehill silt loam, frequently flooded	0.06	0.1%		llw	140	42	33		5		9		
		105.5	36.5	51.4	*-	3.5	*-	7.3						

<sup>\*</sup>c: Using Capabilities Class Dominant Condition Aggregation Method